









FIERCE BY DESIGN

Bold at first glance, smarter at every angle. Honda X-ADV's new front fairing brings SUV-like confidence, shaped for both style and purpose. While the new windscreen adjusts to the wind effortlessly even from a seated position with just one hand. Made with eco-friendly Durabio™, a bio-based polycarbonate resin, both elements are as responsible as they are refined.





UNLEASH WILD PERFORMANCE

Built for the city. Born for the escape. The 745 cc twin-cylinder engine delivers that perfect mix of punchy power when you need it and smooth torque when you cruise. Whether it's the weekday rush or a weekend trail, it's always ready to go the distance.





ENGINEERED FOR EXTREME

Rain. Gravel. Tight turns. The newly optimized Honda Selectable Torque Control (HSTC) reads the road and responds in real time. And with a smoother Dual Clutch Transmission (DCT), refined through Throttle by Wire, the starts, stops, and slow rolls feel more natural than ever.





TECH AT YOUR COMMAND

The new 5-inch TFT display stays sharp in sunlight and connects effortlessly with Honda RoadSync so your maps, calls, and music are always within reach. On the other hand, the twin-LED projector headlights use Hidden Eye Technology that don't just light the road but own it, with sleek Daytime Running Lights (DRLs) and hidden indicators built in.





ACCESSORIZE YOUR RIDE, YOUR WAY



SIDE PIPE



KNUCKLE GUARD EXTENSION



RIDER FOOT PEG



TOP BOX - MANUAL





PANNIER CASE



PARKING LEVER AND COVER



LEG DEFLECTOR



FRONT FOG LIGHT



HANDLE HOLDER UP



FLOOR PANEL AND LATERAL COVER





TOP BOX



COMFORT SEAT



CONSOLE BAG



GRIP HEATER



ACC SOCKET



REAR CARRIER



COLOURS



GRAPHITE BLACK

PEARL GLARE WHITE

SPECIFICATIONS

ENGINE

Engine Type 4-Stroke, 8-Valves Parallel-Twin

SOHC, Liquid-Cooled

Bore x Stroke 77×80 Compression Ratio 10.7 ± 0.2

Displacement 745 cc

 Net Power
 43.1 kW @6750 rpm

 Maximum Torque
 69 N-m @4750 rpm

No. of Gears 6

DIMENSIONS AND WEIGHT

 $Length \ x \ Width \ x \ Height \qquad 2215 \ mm \ x \ 940 \ mm \ x \ 1370 \ mm$

Seat Height 820 mm

Wheelbase 1590 mm

Ground Clearance 165 mm

Kerb Weight 237 kg

Fuel Tank Capacity 13.2 L

Frame Type Diamond Tubular Steel

WHEELS, SUSPENSION AND BRAKES

Tyre Size (Front) 120/70R - 17M/C 58H

Tyre Size (Rear) 160/60R - 15M/C 67H

Brake Type (Front) Disc - 296 mm

Brake Type (Rear) Disc - 240 mm

Calliper Front 4 Piston

Calliper Rear 1 Piston

Front Suspension SFF-CA-USD Forks

Rear Suspension Monoshock with Pro-Link,

Adjustable Spring Preload

ELECTRICALS

Battery 12 V, 11.6 Ah

Headlight LED
Tail Lamp LED
Winkers LED



Honda BigWing Topline Mumbai 4 Lotus Link Square,Nr D N Nagar Metro Station, Manmandir Co-operative Housing Society

Honda Motorcycle and Scooter India Pvt. Ltd.,

Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram (Haryana) - 122052, India Customer Care: customercare@honda.hmsi.in Website: www.hondabigwing.in



